


DTC	B2415	VEHICLE SPEED SENSOR MALFUNCTION
-----	-------	----------------------------------

CIRCUIT DESCRIPTION

The AFS ECU receives signals regarding the front wheel speed from the skid control ECU.

DTC No.	DTC Detecting Condition	Trouble Area
B2415	• Malfunction in skid control ECU • Open or short in vehicle speed sensor circuit	• Skid control ECU • Wire harness or connector • AFS ECU

WIRING DIAGRAM



INSPECTION PROCEDURE

1 CHECK DTC(ABS WITH EBD & BA & TRC & VSC SYSTEM)

- (a) Check the DTC of ABS with EBD & BA & TRC & VSC system (see page 05-400).

OK: Normal system code is output.


NG

GO TO FLOW CHART (SEE PAGE 05-409)


OK

2 CHECK HARNESS AND CONNECTOR(SKID CONTROL ECU - AFS ECU)

**Skid Control ECU with Actuator
Wire Harness View:**



**AFS ECU
Connector Front View:**



H E69126
E69119

E69257

- (a) Disconnect the skid control ECU connector and A41 connector from the AFS ECU.
- (b) Measure the resistance according to the value(s) in the table below.

Standard:

Tester Connection	Condition	Specified Condition
S48-37 (FRO) - A41-7 (SPDR)	Always	Below 1 Ω
S48-38 (FLO) - A41-6 (SPDL)	Always	Below 1 Ω
A41-7 (SPDR) - Body ground	Always	10 k Ω or higher
A41-6 (SPDL) - Body ground	Always	10 k Ω or higher


NG

REPAIR OR REPLACE HARNESS OR CONNECTOR

OK

3 INSPECT AFS ECU


AFS ECU
Connector Front View:



- (a) Reconnect the skid control ECU connector and A41 connector to the AFS ECU.
- (b) Measure the voltage according to the value(s) in the table below.

Standard:

Tester Connection	Condition	Specified Voltage
A41-6 (SPDL) - Body ground	Vehicle is driving at approx. 30 km/h (19 mph)	0 to 14 V Pulse generation (See waveform 1)
A41-7 (SPDR) - Body ground	Vehicle is driving at approx. 30 km/h (19 mph)	0 to 14 V Pulse generation (See waveform 1)



Waveform1: Oscilloscope wave

HINT:

- Gauge set: 5 V / DIV. 2 ms / DIV
- Condition: Vehicle is driving approximately 30 km/h (19 mph)

OK: Waveform is output as shown in the illustration.

Result:

OK (When checking from the DIAGNOSTICS TROUBLE CODE CHART)	A
OK (When checking from the PROBLEM SYMPTOMS TABLE)	B
NG	C

B

**PROCEED TO NEXT CIRCUIT INSPECTION
SHOWN IN PROBLEM SYMPTOMS TABLE
(SEE PAGE 05-1369)**

C

**REPLACE ABS & TRACTION ACTUATOR ASSY
(SEE PAGE 32-53)**

A

REPLACE AFS ECU (SEE PAGE 65-28 OR 65-29)