

2 BODY DIMENSIONS

BODY DIMENSIONS AND MEASUREMENT

METHODS 2-2

<Single cab>

TYPE A

(PROJECTED DIMENSIONS) 2-3

TYPE B

(ACTUAL-MEASUREMENT DIMENSIONS) 2-7

FRAME 2-7

UNDER BODY 2-9

FRONT BODY 2-10

SIDE BODY 2-12

INTERIOR 2-13

REAR BODY 2-14

<Club cab>

TYPE A

(PROJECTED DIMENSIONS) 2-15

TYPE B

(ACTUAL-MEASUREMENT DIMENSIONS) 2-19

FRAME 2-19

UNDER BODY 2-21

FRONT BODY 2-22

SIDE BODY 2-24

INTERIOR 2-25

REAR BODY 2-26

<Double cab>

TYPE A

(PROJECTED DIMENSIONS) 2-27

TYPE B

(ACTUAL-MEASUREMENT DIMENSIONS) 2-31

FRAME 2-31






UNDER BODY 2-33

FRONT BODY 2-34

SIDE BODY 2-36

INTERIOR 2-37

REAR BODY 2-38



BODY DIMENSIONS AND MEASUREMENT METHODS

STANDARD DIMENSIONS INDICATIONS AND MEASUREMENT METHODS

(1) Type A (projected dimensions)

Indicates the dimension when a measurement location is projected onto a plane. The difference in height of the measurement points should be taken into consideration when measuring.

(2) Type B (actual-measurement dimensions)

Indicates the actual distance between the measurement points.

Measure using a tracking gauge or a measuring tape, etc.

NOTES

- Make the lengths of the tracking gauge probes the same ($A=A'$).
- Do not bend or twist the measuring tape.

(3) Insert the tracking gauge probes securely into the measurement holes.

(4) When the standard dimensions in the illustration are enclosed by $\square$, this indicates that the symmetrical left and right positions have the same dimensions.

(5) When using a notch for dimension measurement, make the measuring point at the centre of the notch.

BODY CENTRE POINT




The body centre points are shown for the purpose of checking the position of the left and right symmetry locations.

<Single cab>

TYPE A (PROJECTED DIMENSIONS)

mm









(2WD)



No.	Standard measurement point	Hole shape — Size mm	No.	Standard measurement point	Hole shape — Size mm
1*	Centre of No. 1 cab bracket hole	○ — 30	9*	Centre of No. 3 rear body mounting bracket hole	□ — 20×13
2	Centre of shock absorber mounting hole	○ — 16	10	Centre of floor cross sill mounting hole	○ — 15
3	Centre of engine mounting bracket hole	○ — 11	11	Centre of bumper bracket hole	○ — 32
4*	Centre of No. 2 cab bracket hole	○ — 30	12	Centre of front eye bracket hole	○ — 14.2
5	Centre of No. 2 crossmember bracket hole	○ — 9	13	Centre of shock absorber mounting end	—
6*	Centre of No. 3 cab bracket hole	○ — 59	14	Centre of shock absorber mounting end	—
7	Centre of No. 1 rear body mounting bracket hole	□ — 20×13	15	Centre of shackle bracket hole	○ — 28
8	Centre of No. 2 rear body mounting bracket hole	□ — 20×13			




NOTE:

The * mark indicates the mounting position for the frame centering gauge.



(4WD)











mm



No.	Standard measurement point	Hole shape — Size mm	No.	Standard measurement point	Hole shape — Size mm
16*	Centre of No. 1 cab bracket hole	○ — 30	25*	Centre of No. 5 rear body mounting bracket hole	□ — 20×14
17	Centre of stabilizer bracket hole	○ — 16	26	Centre of No. 6 rear body mounting bracket hole	○ — 15
18	Centre of gear box inner bracket hole	○ — 34	27	Centre of bumper bracket hole	○ — 32
19	Centre of arm post hole	○ — 14	28	Centre of lower arm support bracket hole	○ — 44
20	Centre of engine mounting bracket hole	○ — 11	29	Centre of front eye bracket hole	○ — 14.2
21*	Centre of No. 2 cab bracket hole	□ — 40×30	30	Centre of shock absorber mounting end	—
22*	Centre of No. 3 cab bracket hole	○ — 66	31	Centre of shock absorber mounting end	—
23	Centre of No. 1 rear body mounting bracket hole	□ — 20×14	32	Centre of shackle bracket hole	○ — 28
24	Centre of No. 2 rear body mounting bracket hole	□ — 20×14			

NOTE:

The * mark indicates the mounting position for the frame centering gauge.




TYPE B (ACTUAL-MEASUREMENT DIMENSIONS)


mm

FRAME

(2WD)






32V0038



32V0039



No.	Standard measurement point	Hole shape	Size mm	No.	Standard measurement point	Hole shape	Size mm
1	Centre of No. 1 cab bracket hole	○	30	6	Centre of No. 3 cab bracket hole	○	59
2	Centre of shock absorber mounting hole	○	16	7	Centre of No. 1 rear body mounting bracket hole	□	20×13
3	Centre of engine mounting bracket hole	○	11	8	Centre of No. 2 rear body mounting bracket hole	□	20×13
4	Centre of No. 2 cab bracket hole	○	30	9	Centre of No. 3 rear body mounting bracket hole	□	20×13
5	Centre of No. 2 crossmember bracket hole	○	9	10	Centre of floor cross sill mounting hole	○	15






2-8 BODY DIMENSIONS – Type B (Actual-measurement Dimensions)

(4WD)

mm




No.	Standard measurement point	Hole shape	Size mm	No.	Standard measurement point	Hole shape	Size mm
16	Centre of No. 1 cab bracket hole	○	30	22	Centre of No. 3 cab bracket hole	○	66
17	Centre of stabilizer bracket hole	○	16	23	Centre of No. 1 rear body mounting bracket hole	□	20x14
18	Centre of gear box inner bracket hole	○	34	24	Centre of No. 2 rear body mounting bracket hole	□	20x14
19	Centre of arm post hole	○	14	25	Centre of No. 5 rear body mounting bracket hole	□	20x14
20	Centre of engine mounting bracket hole	○	11	26	Centre of No. 6 rear body mounting bracket hole	○	15
21	Centre of No. 2 cab bracket hole	□	40x30				






UNDER BODY

mm



32V0042


No.	Standard measurement point	Hole shape	Size mm	No.	Standard measurement point	Hole shape	Size mm
33	Centre of No. 1 body mounting bracket hole	○	13	35	Centre of No. 3 body mounting bracket hole	○	13
34	Centre of No. 2 body mounting bracket hole	○	13				












2-10 BODY DIMENSIONS – Type B (Actual-measurement Dimensions)

FRONT BODY

mm




No.	Standard measurement point	Hole shape – Size mm	No.	Standard measurement point	Hole shape – Size mm
36	Centre of headlamp support panel hole	○ – 7	41	Body centre point	○ – 7
37	Centre of horn bracket mounting hole	○ – 9	42	Centre of front deck garnish mounting hole	○ – 7
38	Centre of front end upper bar top surface hole	○ – 9	43	Front pillar lower end	–
39	Centre of front fender mounting hole	○ – 8	44	Front pillar upper end	–
40	Centre of front fender mounting hole	○ – 8			



2-12 BODY DIMENSIONS – Type B (Actual-measurement Dimensions)






SIDE BODY

mm




32V0045

No.	Standard measurement point	Hole shape	Size mm	No.	Standard measurement point	Hole shape	Size mm
45	Centre of front door hinge mounting hole	○	10	49	Rear pillar outer positioning notch	—	—
46	Centre of front door hinge mounting hole	○	10	50	Rear pillar outer positioning notch	—	—
47	Front pillar outer positioning notch	—	—	51	Front floor side sill outer positioning notch	—	—
48	Front pillar outer positioning notch	—	—				






INTERIOR

mm




No.	Standard measurement point	Hole shape	Size mm	No.	Standard measurement point	Hole shape	Size mm
51	Front floor side sill outer positioning notch	—	—	53	Centre of seatbelt mounting hole	○	14
52	Centre of front door striker mounting hole	○	14				






2-14 BODY DIMENSIONS – Type B (Actual-measurement Dimensions)

REAR BODY

mm




No.	Standard measurement point	Hole shape	Size mm	No.	Standard measurement point	Hole shape	Size mm
54	Corner of side panel outer	—	—	56	Centre of rear gate hinge mounting hole	—	—
55	Corner of side panel outer	—	—				



<Club cab>

mm









TYPE A (PROJECTED DIMENSIONS)



No.	Standard measurement point	Hole shape – Size mm	No.	Standard measurement point	Hole shape – Size mm
1*	Centre of No. 1 cab bracket hole	○ – 30	9*	Centre of No. 2 rear body mounting bracket hole	□ – 20×13
2	Centre of shock absorber mounting hole	○ – 16	10	Centre of floor cross sill mounting hole	○ – 15
3	Centre of engine mounting bracket hole	○ – 11	11	Center of bumper bracket hole	○ – 32
4*	Centre of No. 2 cab bracket hole	○ – 30	12	Centre of front eye bracket hole	○ – 14.2
5	Centre of No. 2 crossmember bracket hole	○ – 9	13	Centre of shock absorber mounting end	–
6*	Centre of No. 3 cab bracket hole	○ – 30	14	Centre of shock absorber mounting end	–
7	Centre of No. 4 cab bracket hole	○ – 59	15	Centre of shackle bracket hole	○ – 28
8	Centre of No. 1 rear body mounting bracket hole	□ – 20×13			


NOTE:

The * mark indicates the mounting position for the frame centering gauge.




(4WD)


mm



32V0085



32V0086













32V0087

No.	Standard measurement point	Hole shape — Size mm	No.	Standard measurement point	Hole shape — Size mm
16*	Centre of No. 1 cab bracket hole	○ — 30	25*	Centre of No. 4 rear body mounting bracket hole	□ — 20×14
17	Centre of stabilizer bracket hole	○ — 16	26	Centre of No. 5 rear body mounting bracket hole	○ — 15
18	Centre of gear box inner bracket hole	○ — 34	27	Center of bumper bracket hole	○ — 32
19	Centre of arm post hole	○ — 14	28	Centre of lower arm support bracket hole	○ — 44
20	Centre of engine mounting bracket hole	○ — 11	29	Centre of front eye bracket hole	○ — 14.2
21*	Centre of No. 2 cab bracket hole	□ — 40×30	30	Centre of shock absorber mounting end	—
22*	Centre of No. 3 cab bracket hole	○ — 30	31	Centre of shock absorber mounting end	—
23	Centre of No. 4 cab bracket hole	○ — 66	32	Centre of shackle bracket hole	○ — 28
24	Centre of No. 1 rear body mounting bracket hole	□ — 20×14			

NOTE:

The * mark indicates the mounting position for the frame centering gauge.




TYPE B (ACTUAL-MEASUREMENT DIMENSIONS)


FRAME

(2WD)

mm






32V0064





32V0065

No.	Standard measurement point	Hole shape — Size mm	No.	Standard measurement point	Hole shape — Size mm
1	Centre of No. 1 cab bracket hole	○ — 30	6	Centre of No. 3 cab bracket hole	○ — 30
2	Centre of shock absorber mounting hole	○ — 16	7	Centre of No. 4 cab bracket hole	○ — 59
3	Centre of engine mounting bracket hole	○ — 11	8	Centre of No. 1 rear body mounting bracket hole	□ — 20x13
4	Centre of No. 2 cab bracket hole	○ — 30	9	Centre of No. 2 rear body mounting bracket hole	□ — 20x13
5	Centre of No. 2 crossmember bracket hole	○ — 9	10	Centre of floor cross sill mounting hole	○ — 15






(4WD)

mm




No.	Standard measurement point	Hole shape	Size mm	No.	Standard measurement point	Hole shape	Size mm
16	Centre of No. 1 cab bracket hole	○	30	22	Centre of No. 3 cab bracket hole	○	30
17	Centre of stabilizer bracket hole	○	16	23	Centre of No. 4 cab bracket hole	○	66
18	Centre of gear box inner bracket hole	○	34	24	Centre of No. 1 rear body mounting bracket hole	□	20×14
19	Centre of arm post hole	○	14	25	Centre of No. 4 rear body mounting bracket hole	□	20×14
20	Centre of engine mounting bracket hole	○	11	26	Centre of No. 5 rear body mounting bracket hole	○	15
21	Centre of No. 2 cab bracket hole	□	40×30				






UNDER BODY

mm




No.	Standard measurement point	Hole shape – Size mm	No.	Standard measurement point	Hole shape – Size mm
33	Centre of No. 1 body mounting bracket hole	○ – 13	35	Centre of No. 4 body mounting bracket hole	○ – 13
34	Centre of No. 2 body mounting bracket hole	○ – 13			



2-22 BODY DIMENSIONS – Type B (Actual-measurement Dimensions)










FRONT BODY

mm



32V0066


No.	Standard measurement point	Hole shape	Size mm	No.	Standard measurement point	Hole shape	Size mm
36	Centre of headlamp support panel hole	○	7	41	Body centre point	○	7
37	Centre of horn bracket mounting hole	○	9	42	Centre of front deck garnish mounting hole	○	7
38	Centre of front end upper bar top surface hole	○	9	43	Front pillar lower end	—	—
39	Centre of front fender mounting hole	○	8	44	Front pillar upper end	—	—
40	Centre of front fender mounting hole	○	8				



2-24 BODY DIMENSIONS – Type B (Actual-measurement Dimensions)






SIDE BODY

mm




32V0069

No.	Standard measurement point	Hole shape	Size mm	No.	Standard measurement point	Hole shape	Size mm
45	Centre of front door hinge mounting hole	○	10	49	Rear pillar outer positioning notch	—	—
46	Centre of front door hinge mounting hole	○	10	50	Rear pillar outer positioning notch	—	—
47	Front pillar outer positioning notch	—	—	51	Front floor side sill outer positioning notch	—	—
48	Front pillar outer positioning notch	—	—				






INTERIOR

mm



32V0067

No.	Standard measurement point	Hole shape	Size mm	No.	Standard measurement point	Hole shape	Size mm
51	Front floor side sill outer positioning notch	—	—	53	Centre of seatbelt mounting hole	○	14
52	Centre of front door striker mounting hole	○	14				




2-26

BODY DIMENSIONS – Type B (Actual-measurement Dimensions)




REAR BODY

mm



32V0068

No.	Standard measurement point	Hole shape – Size mm	No.	Standard measurement point	Hole shape – Size mm
54	Corner of side panel outer	–	56	Centre of rear gate hinge mounting hole	○ – 13
55	Corner of side panel outer	–			




<Double cab>


TYPE A (PROJECTED DIMENSIONS)

mm


(2WD)



32V0090



32V0091











32V0092

No.	Standard measurement point	Hole shape – Size mm	No.	Standard measurement point	Hole shape – Size mm
1*	Centre of No. 1 cab bracket hole	○ – 30	9*	Centre of No. 2 rear body mounting bracket hole	□ – 20×13
2	Centre of shock absorber mounting hole	○ – 16	10	Centre of floor cross sill mounting hole	○ – 15
3	Centre of engine mounting bracket hole	○ – 11	11	Center of bumper bracket hole	○ – 32
4*	Centre of No. 2 cab bracket hole	○ – 30	12	Centre of front eye bracket hole	○ – 14.2
5	Centre of No. 2 crossmember bracket hole	○ – 9	13	Centre of shock absorber mounting end	–
6*	Centre of No. 3 cab bracket hole	○ – 30	14	Centre of shock absorber mounting end	–
7	Centre of No. 4 cab bracket hole	○ – 59	15	Centre of shackle bracket hole	○ – 28
8	Centre of No. 1 rear body mounting bracket hole	□ – 20×13			


NOTE:

The * mark indicates the mounting position for the frame centering gauge.




(4WD)


mm



32V0093



32V0094













32V0095

No.	Standard measurement point	Hole shape — Size mm	No.	Standard measurement point	Hole shape — Size mm
16*	Centre of No. 1 cab bracket hole	○ — 30	25*	Centre of No. 2 rear body mounting bracket hole	□ — 20×14
17	Centre of stabilizer bracket hole	○ — 16	26	Centre of No. 3 rear body mounting bracket hole	○ — 15
18	Centre of gear box inner bracket hole	○ — 34	27	Center of bumper bracket hole	○ — 32
19	Centre of arm post hole	○ — 14	28	Centre of lower arm support bracket hole	○ — 44
20	Centre of engine mounting bracket hole	○ — 11	29	Centre of front eye bracket hole	○ — 14.2
21*	Centre of No. 2 cab bracket hole	□ — 40×30	30	Centre of shock absorber mounting end	—
22*	Centre of No. 3 cab bracket hole	□ — 40×30	31	Centre of shock absorber mounting end	—
23	Centre of No. 4 cab bracket hole	○ — 66	32	Centre of shackle bracket hole	○ — 28
24	Centre of No. 1 rear body mounting bracket hole	□ — 20×14			

NOTE:

The * mark indicates the mounting position for the frame centering gauge.




TYPE B (ACTUAL-MEASUREMENT DIMENSIONS)


mm

FRAME

(2WD)




32V0096




32V0097


No.	Standard measurement point	Hole shape	Size mm	No.	Standard measurement point	Hole shape	Size mm
1	Centre of No. 1 cab bracket hole	○	30	6	Centre of No. 3 cab bracket hole	○	30
2	Centre of shock absorber mounting hole	○	16	7	Centre of No. 4 cab bracket hole	○	59
3	Centre of engine mounting bracket hole	○	11	8	Centre of No. 1 rear body mounting bracket hole	○	20x13
4	Centre of No. 2 cab bracket hole	○	30	9	Centre of No. 2 rear body mounting bracket hole	○	20x13
5	Centre of No. 2 crossmember bracket hole	○	9	10	Centre of floor cross sill mounting hole	○	15



32V0032



32V0030




32V0031


2-32 BODY DIMENSIONS – Type B (Actual-measurement Dimensions)

(4WD)

mm






32V0098




32V0099

No.	Standard measurement point	Hole shape – Size mm	No.	Standard measurement point	Hole shape – Size mm
16	Centre of No. 1 cab bracket hole	○ – 30	22	Centre of No. 3 cab bracket hole	○ – 66
17	Centre of stabilizer bracket hole	○ – 16	23	Centre of No. 1 rear body mounting bracket hole	○ – 20x14
18	Centre of gear box inner bracket hole	○ – 34	24	Centre of No. 2 rear body mounting bracket hole	○ – 20x14
19	Centre of arm post hole	○ – 14	25	Centre of No. 5 rear body mounting bracket hole	○ – 20x14
20	Centre of engine mounting bracket hole	○ – 11	26	Centre of No. 6 rear body mounting bracket hole	○ – 15
21	Centre of No. 2 cab bracket hole	○ – 40x30			






UNDER BODY

mm



32V0100


No.	Standard measurement point	Hole shape — Size mm	No.	Standard measurement point	Hole shape — Size mm
33	Centre of No. 1 body mounting bracket hole	○ – 13	35	Centre of No. 4 body mounting bracket hole	○ – 13
34	Centre of No. 2 body mounting bracket hole	○ – 13			




2-34 BODY DIMENSIONS – Type B (Actual-measurement Dimensions)

FRONT BODY

mm












32V0040



32V0129


No.	Standard measurement point	Hole shape — Size mm	No.	Standard measurement point	Hole shape — Size mm
36	Centre of headlamp support panel hole	○ — 7	41	Body centre point	○ — 7
37	Centre of horn bracket mounting hole	○ — 9	42	Centre of front deck garnish mounting hole	○ — 7
38	Centre of front end upper bar top surface hole	○ — 9	43	Front pillar lower end	—
39	Centre of front fender mounting hole	○ — 8	44	Front pillar upper end	—
40	Centre of front fender mounting hole	○ — 8			



2-36 BODY DIMENSIONS – Type B (Actual-measurement Dimensions)







SIDE BODY

mm




32V0101

No.	Standard measurement point	Hole shape	Size mm	No.	Standard measurement point	Hole shape	Size mm
45	Centre of front door hinge mounting hole	○	10	52	Center pillar outer positioning notch	—	—
46	Centre of front door hinge mounting hole	○	10	53	Center pillar outer positioning notch	—	—
47	Front pillar outer positioning notch	—	—	54	Side roof rail outer positioning notch	—	—
48	Front pillar outer positioning notch	—	—	55	Rear pillar outer positioning notch	—	—
49	Center pillar outer positioning notch	—	—	56	Rear pillar outer positioning notch	—	—
50	Center pillar outer positioning notch	—	—	57	Rear floor side sill outer positioning notch	—	—
51	Front floor side sill outer positioning notch	—	—				









INTERIOR

mm




32V0102

No.	Standard measurement point	Hole shape	Size mm	No.	Standard measurement point	Hole shape	Size mm
51	Front floor side sill outer positioning notch	—		59	Centre of seatbelt mounting hole	○	14
57	Rear floor side sill outer positioning notch	—		60	Centre of rear door striker mounting hole	○	14
58	Centre of front door striker mounting hole	○	14	61	Centre of seatbelt mounting hole	○	14



REAR BODY

mm



No.	Standard measurement point	Hole shape	Size mm	No.	Standard measurement point	Hole shape	Size mm
62	Corner of side panel outer	—	—	64	Centre of rear gate hinge mounting hole	—	—
63	Corner of side panel outer	—	—				

