

MITSUBISHI
MONTERO

V6

 **MITSUBISHI**
Suddenly, the obvious choice™



Mitsubishi Montero. Comfortable, yet tough.

Few vehicles in the world are this adept at meeting both the challenges of the wilderness and the congestion of civilization. Mitsubishi Montero takes these extremes gracefully in stride; there's hardly anywhere this intrepid 4WD isn't right at home.

The experts seem to agree. In 1989, the Montero 4-Door was

chosen "Top Buy in the sport/utility class" by *Motor Trend* Magazine. When *you* choose Montero 2- or 4-Door, you'll drive a vehicle that's at once distinctively styled and powerfully equipped. A 3.0-liter V-6, combined with a rugged independent front and coil-spring rear suspension, assures you of both the power you need and the comfort you deserve.

Mitsubishi Montero. Rugged construction with a comfortable,



stable ride. Aggressive styling with a refined, well-appointed interior. You might be tempted to call it perfect.

The driver's view in the RS/LS models takes in full instrumentation on a logically designed, properly angled panel. A bi-level heating and ventilation system, combined with optional air conditioning, is controlled from the upper console.

The Montero LS 4-Door proves you can have it both ways... luxury and convenience for around town; ruggedness and durability beyond the city limits.

Comfort is the order of the day in Montero LS 4-Door, with rich velour upholstered seats, front see-through head-restraints and door panels. Cut-pile carpeting covers the floor in both passenger and cargo areas.



Seatbelt system has been altered to clearly depict interior. This system should be used properly at all times while driving.

With the rear seat folded forward, Montero 4-Door offers 94 cubic feet of cargo capacity. Tie-down hooks help you secure cargo, and the locked tailgate-mounted spare never gets in your way.



At home on the range or the road.

Wherever you might venture, Montero LS cradles its occupants in total comfort and thoughtful convenience. Up front, generously proportioned contoured bucket seats incorporate adjustable side supports. The driver sits on an ingeniously designed adjustable suspension seat that acts as a shock absorber during rough-terrain driving.

The roomy LS interior features a reclining rear-seat back, a comfort

touch found in no other comparable vehicle. And the handsome yet durable knit velour upholstery adds a touch of tactile elegance throughout.

Montero LS offers a long list of standard features that includes an efficient bi-level heating/ventilation system, full-function cruise control, power windows with Auto-down feature on driver's side—even power door locks and heavy-duty rear defroster with timer.

Mitsubishi Montero. Very simply, it's everything you want in a sport/utility vehicle.



Properly maintaining your vehicle includes washing the underbody thoroughly after exposure to salt water.

Tough. Powerful. In Montero, you have it both ways.

Montero is designed, built and tested to really take it. It's an explorer's machine, challenging the road or the rough with equal agility. It rides on a fully independent torsion-bar front suspension combined with a 3-link coil spring rear suspension, a design which results in an exceptional balance between off-road toughness and highway comfort. Body flex is minimal, thanks to a rigid ladder-frame chassis.

When you venture off-road, the chassis is fully protected; strategically placed skid plates guard front end, engine, gas tank and transmission/transfer case. Ground clearance measures 8½ inches at maximum rated capacity.

Power is there when you demand it. The 3.0-liter 143-hp V-6 engine delivers a stump-pulling 168 lbs-ft of torque at 2500 rpm. The 2-speed transfer case in tandem with automatic-locking front





hubs allows you to engage 4WD from the driver's seat. Solid-grip all-terrain steel-belted radials provide plenty of footprint wherever you go.

Meet your partner in adventure—Mitsubishi Montero.



A convenient center console adds additional personal storage space in Montero 2-Door. There's plenty of cargo capacity in the rear as well; almost 63 cu. ft.

Some drivers prefer their adventure in a more compact package: The Montero 2-Door with a 92-inch wheelbase. Impressive specs include V-6 power, front vented disc brakes and a long-range 19.8-gal. fuel capacity.



Think of your new Montero as "well-outfitted."

Feature for feature, Montero is among the most complete sport/utility vehicles in its class.

1. *Automatic-locking front hubs*, combined with Montero's 2-speed transfer case, let you shift between 2WD and 4WD without leaving the vehicle. A standard Montero feature.



Montero's tough 3.0-liter V-6 engine delivers 143 horsepower at 5,000 rpm. An ECI™ multi-point fuel-injection system delivers fuel at peak efficiency, and an electronic ignition provides quick starting.

2. *Convenience Power Package* includes power windows with Auto-down driver's window, power door locks and full-function cruise control. A standard Montero 4-Door LS feature; optional on Montero 4-Door and 2-Door Sport.

3. *4-speed automatic transmission* incorporates an overdrive feature for highway cruising. A standard Montero 4-Door LS and 2-Door Sport feature; optional on other Monteros.

4. *Halogen headlights with washers* are standard on Montero 4-Door RS and LS and 2-Door Sport.

5. *Tilt steering wheel* adjusts to your height for maximum comfort and control. A standard Montero feature.

6. *Air conditioning* incorporates a multi-level ventilation system to allow maximum cooling control and effectiveness. A Montero option.

7. *Rear cargo cover* keeps your belongings out of sight. An authorized Mitsubishi Dealer accessory.

8. *Roof rack system* provides secure tie-down storage for skis, surfboards and other ungainly gear. An authorized Mitsubishi Dealer accessory.

Other authorized Mitsubishi Motors Dealer accessories:

- Mitsubishi Triple Diamond Vehicle Security System with intrusion monitoring, two remote-control transmitters and three-position impact sensor.
- Spare tire cover • Floor mats.
- Cargo mat.

3/36 WARRANTY

Mitsubishi's confidence in the quality of materials and reliability of craftsmanship used to build their 1990 vehicles is exemplified by these comprehensive warranties:

- 3-year/36,000-mile basic new vehicle limited warranty that provides extensive protection for your new car or truck.
- 3-year/50,000-mile powertrain limited warranty (includes engine, transmission and differential).
- 5-year/unlimited mileage anti-corrosion perforation limited warranty. For complete details on these limited warranties, see your Mitsubishi Motors Dealer.

DIAMOND CARESM

Diamond CareSM, Mitsubishi's comprehensive new-vehicle delivery program, is designed to ensure that your new Mitsubishi vehicle is thoroughly prepared, inspected and its features explained. We even make sure that the gas tank is full before you leave. But Diamond Care doesn't end when you leave the dealership. A toll-free number brings free emergency road service 24 hours a day; a "credit card" key helps avoid lockouts; and, after your first 1,000 miles, you're invited back for any needed service caused by normal vehicle use—absolutely free.

Technical Specifications.

ENGINE	MONTERO 2-DOOR	MONTERO 4-DOOR
Model No. and Type	6G72, SOHC, V-6	6G72, SOHC, V-6
Bore & Stroke (mm/in.)	91.1 x 76 (3.59 x 2.99)	91.1 x 76 (3.59 x 2.99)
Displacement (cc/cu. in.)	2972/181	2972/181
Compression Ratio	8.9:1	8.9:1
Horsepower @ RPM (bhp)	143 @ 5000	143 @ 5000
Torque @ RPM (lbs-ft)	168 @ 2500	168 @ 2500
Induction type	Multi-point fuel injection	Multi-point fuel injection
Emission Control System	EGR, air-induction, 3-way catalyst w/feedback control	EGR, air-induction, 3-way catalyst w/feedback control
CLUTCH		
Clutch Type	Single-plate, dry; hydraulically actuated	Single-plate, dry; hydraulically actuated
Diameter (in.)	944	944
TRANSMISSION RATIOS (.1)		
5-Speed Manual Overdrive	1st/3.918, 2nd/2.261, 3rd/1.395, 4th/1.000, 5th/0.829, Rev/3.925	1st/3.918, 2nd/2.261, 3rd/1.395, 4th/1.000, 5th/0.829, Rev/3.925
4-Speed Automatic Overdrive	1st/2.826, 2nd/1.493, 3rd/1.000, 4th/0.730, Rev/2.703	1st/2.826, 2nd/1.493, 3rd/1.000, 4th/0.730, Rev/2.703
Final drive ratio	4.625	4.625
4-WHEEL DRIVE SYSTEM		
Type	Part-time	Part-time
Automatic Locking Front Hubs	Standard	Standard
Transfer Case Type	2-speed	2-speed
Ratios	High Range 1.000:1 Low Range 1.925:1	1.000:1 1.925:1
SUSPENSION		
Front type	Independent with unequal length A-arms, torsion bar, telescopic shock absorbers, with stabilizer bar.	
Rear type		
3-link with coil springs, bias-mounted telescopic shock absorbers, with stabilizer bar.		
DIMENSIONS (mm/in.)		
Chassis/Body Construction	Steel body on ladder frame	Steel body on ladder frame
Wheelbase	2350/92.5	2695/106.1
Overall Length	3940/155.1	4610/181.7
Overall Width	1680/66.1	1692/66.6
Overall Height	1850/72.8	1890/74.4
Tread Width	Front 1400/55.1 Rear 1415/55.7	1400/55.1 1415/55.7
INTERIOR DIMENSIONS (mm/in.)		
Headroom	Front 1035/40.7 Rear 1030/40.6	1035/40.7 1030/40.6
Shoulder Room	Front 1400/55.1 Rear 1400/55.1	1400/55.1 1400/55.1
Hip Room	Front 1400/55.1 Rear 1400/55.1	1400/55.1 1400/55.1
Leg Room	Front 1005/39.6 Rear 880/34.7	1005/39.6 880/34.7
Approach Angle @ MYMA load	38 degrees	38 degrees
Departure Angle @ MYMA load	28 degrees	28 degrees
Cargo Capacity (EPA Index) —rear seat folded	62.9 cu. ft.	94.98 cu. ft.
WEIGHTS (kg/lbs)		
Curb Weight	SP-1585/3494(5M),1600/3528(4A); Sport—1605/3538	1780/3924 (5M), 1795/3957 (4A) 1805/3979 (LS-4A)
Towing Capacity, maximum	2000	4000
STEERING		
Type	Recirculating ball, power-assisted	Recirculating ball, power-assisted
Overall Steering Ratio	16.4:1	16.4:1
Turning Circle, Curb to Curb	34.1 ft/10.4 m.	38.7/11.8
BRAKES		
Front	Vented disc	Vented disc
Rear	Self-adjusting drum	Self-adjusting drum
Diameter		
Front/Rear (in.)	10.8/10.0	10.8/10.0
Total Brake Swept Area (sq. in.)	341	341
FUEL SYSTEM		
Type Fuel Required	Unleaded (RON 91)	Unleaded (RON 91)
Fuel Tank Capacity (U.S. gal)	19.3	24.3
Fuel Pump Type	Electronic	Electronic
WHEELS & TIRES		
Wheel Size/Type	15 x 6JJ styled steel	15 x 6JJ styled steel
Tire Size/Type	P235/75R15 mud & snow rated steel belted radials	P235/75R15 mud & snow rated steel belted radials
Spare Tire	Full-size	Full-size
FUEL ECONOMY**		
4-SPEED AUTOMATIC		5-SPEED MANUAL
Est. City mpg	16	16
Est. Hwy. mpg	18	19
Est. Combined mpg	17	17

Features & Options.

MECHANICAL/FUNCTIONAL	2DR sp	2DR SPORT	4DR	4DR ES	4DR LS
30-liter V6 SOHC engine	S	S	S	S	S
Automatic valve lash adjusters	S	S	S	S	S
Electronic multi-point fuel injection	S	S	S	S	S
Stainless steel exhaust system	S	S	S	S	S
On-board diagnostic system	S	S	S	S	S
5-speed manual overdrive transmission	S		S	S	
4-speed automatic overdrive transmission	O	S	O	O	S
2-speed transfer case	S	S	S	S	S
Front and rear stabilizer bars	S	S	S	S	S
Automatic locking front hubs w/hubs engaged light	S	S	S	S	S
Limited slip differential		S		S	S
Power-assist vented front disc/rear drum brakes	S	S	S	S	S
Power-assisted recirculating ball steering	S	S	S	S	S
Maintenance-free battery	S	S	S	S	S
36-month/36,000-mile Basic New-Vehicle Limited Warranty*	S	S	S	S	S
36-month/50,000-mile Powertrain Limited Warranty*	S	S	S	S	S
5-Year/Unlimited mileage Anti-Corrosion Perforation Limited Warranty*	S	S	S	S	S
COMFORT & CONVENIENCE					
Air conditioning	O	O	O	O	O
Dual bi-level heating/ventilation system	S	S	S	S	S
Rear heater outlets	S	S	S	S	S
Height adjustable steering column	S	S	S	S	S
One-touch locking	S	S	S	S	S
Power Package: Full-feature cruise control, power windows with Auto-down, power door locks		O	O	O	S
Center console w/storage bin	S	S	S	S	S
Cargo tie-down hooks	S	S	S	S	S
Front passcnger-assist grip	S	S	S	S	S
Rear assist grips (with rear seat package)	O	O	S	S	S
Dash-mounted passenger grab bar	S	S	S	S	S
Remote hood release	S	S	S	S	S
Remote fuel-filler door release	S	S		S	S
Remote electric rear door lock	S	S	S	S	S
Lockable glovebox	S	S	S	S	S
Illuminated cigarette lighter/front ashtray	S	S	S	S	S
2-speed windshield wiper/washer	S	S	S	S	S
Variable intermittent wiper control	S	S		S	S
Electric rear window defroster w/timer	S	S	S	S	S
Side window defoggers	S	S	S	S	S
Large armrests, front	S	S	S	S	S
Driver's side foot rest		S		S	S
INSTRUMENTATION & CONTROLS					
Tachometer, resettable tripmeter	S	S	S	S	S
Inclinometer, oil pressure gauge, voltmeter cluster	S	S		S	S
Digital quartz clock	O	S	O	S	S
Warning lights: brakes, battery charge, seatbelts engaged, low fluid, auto-locking hubs engaged, 4WD engaged	S	S	S	S	S
Electronically tuned AM/FM stereo + 4 speakers	O				
Electronically tuned AM/FM stereo w/cassette + 4 speakers	O	S	O	S	S
Electronically tuned AM/FM stereo w/cassette, graphic equalizer + 4 speakers	O	O		O	O
VISIBILITY					
Halogen headlamps	S	S	S	S	
Headlamp washers		S		S	S
Tinted glass	S	S	S	S	S
Opening front vent windows	S	S	S	S	S
Sliding rear quarter windows	S	S			
Rear window wiper/washer w/intermittent control	O	S	O	S	S
Patch-style dual mirrors	S		S		
Western-style dual mirrors		S			
Sport-style dual mirrors				S	S
Convex passenger-side mirror	S	S	S	S	S
Day/Night rearview mirror	S	S	S	S	S

SEATING & TRIM	2DR sp	2DR SPORT	4DR	4DR ES	4DR LS
Reclining front bucket seats		S			
Sports-type, reclining, side adjusting front bucket seats with see-thru/tilt headrests	S	S		S	S
Driver's suspension seat		S		S	S
Buckskin knit/velour insert upholstery	S	S		S	S
Cloth knit upholstery		S			
Passenger's seat walk-in release	S	S			
Full carpeting, passenger and cargo compartments	S	S	S	S	S
Color-coordinated headliner	S	S	S	S	S
Full door trim with cloth inserts	S	S		S	S
Carpeted lower section door trim		S		S	S
Reclining rear seat			S		S
EXTERIOR					
Skid plates: front end, transfer case, fuel tank	S	S	S	S	S
Front bumper, blackout	S	S			
Front bumper, bright w/bumper guards		S		S	S
Rear step bumper, black with bright step	S		S		
Rear step bumper, bright		S		S	S
Grille, blackout	S		S		
Grille, bright		S		S	S
Tow hooks, front and rear	S	S	S	S	S
Mudguards, front and rear	S	S		S	S
Fixed-length whip antenna	S	S	S	S	S
Power sliding electric sunroof			O	O	O
Accent striping	S			S	S
Two-tone accent		S			
WHEELS & TIRES					
Spoke-type wheels (x5)	S	S	S	S	S
Alloy wheels (x4)	O	O		O	O
P235/75R15 steel belted radials	S	S	S	S	S
Spare tire cover	O	O	O	O	O
Rear-mounted full-size spare tire	S	S	S	S	S
EXTERIOR COLORS/INTERIOR TRIM					
Summit White/Blue	S	S			
Summit White/Brown			S	S	S
Sable Black†/Gray	S	S			
Sable Black†/Brown			S	S	S
Baja Red/Gray	S	S			
Ascot Silver†/Blue	S	S	S	S	S
Sahara Gold†/Brown	S	S	S	S	S
Fargo Brown†/Brown			S	S	S
Caspian Blue†/Blue	S	S	S	S	S
Bordeaux Red†/Gray			S	S	S
Geneva Green†/Brown			S	S	S

† = Metallic S = Standard O = Optional

*For complete details, ask your salesperson for a copy of the limited warranty.

**These figures are estimates only, provided by the U.S. Environmental Protection Agency (EPA).

Technical data, features, options and other equipment shown in this catalog are based on the latest information available at the time of printing and are subject to change without notice. Some vehicles are shown with optional equipment. For further information on the additional options and accessories, contact your Mitsubishi Motors Dealer. Availability of vehicles with specific features may vary per dealership. Headlights, parking lights, and fog lights on vehicles are lighted for illustration purposes only.

This vehicle handles differently than ordinary passenger cars. Federal law cautions to avoid sharp turns and abrupt maneuvers. Always wear your seatbelt. For specific details, please read your owner's manual and the Mitsubishi 4-Wheel Drive manual.

Part # MMSA-ADV-5505 Litho in U.S.A. © 1989 Mitsubishi Motor Sales of America, Inc.