


12. Protector Tape

A: INSTALLATION

Adhere the protector tape to position, follow the procedures below.

1. REAR DOOR PROTECTOR



(1) Align the character line to the application tape.

(2) Align the application tape end to the door panel terminal.

- 1) Clean the area around applying position to remove any foreign objects on body.
- 2) Detach the backing paper from the temporary retention area (a) and apply the protector tape after positioning it correctly.
- 3) Detach the backing paper from area (b), and moisten the applying area and the backside of protector tape by spraying liquid (mild detergent solution at 3% concentration).
- 4) Apply the protector tape to the vehicle body.

CAUTION:


Remove the water or air bubbles out of the protector tape by using the plastic or rubber spatula.

- 5) Detach the application tape and temporary retention tape.

Protector Tape

EXTERIOR BODY PANELS

2. SIDE SILL PROTECTOR




(1) Align the R terminal of side sill spoiler to application tape.
(2) Align the terminal of side sill spoiler to application tape.

- 1) Clean the area around applying position to remove any foreign objects on body.
- 2) Open the rear door and moisten around the adhering position by using liquid such as mild detergent solution.
- 3) Detach the backing paper, and align the application tape to the position shown in the figure and apply the protector tape to the body.

CAUTION:

Remove the water or air bubbles out of the protector tape by using the plastic or rubber spatula.

3. REAR FENDER PROTECTOR



EB-00555

- (1) Align the application paper end to the rear quarter panel.
- (2) Align the panel terminal to the application paper.
- (3) Align the protector tape terminal to R terminal.
- (4) Apply the protector tape by aligning it to the rounded edge.

- 1) Clean the area around applying position to remove any foreign objects on body.
- 2) Detach the backing paper from the temporary retention area (a) and apply the protector tape after positioning it correctly.
- 3) Detach the backing paper from area (b), and moisten the applying area and the backside of protector tape by spraying liquid (mild detergent solution at 3% concentration).
- 4) Apply the protector tape to the vehicle body.

CAUTION:

Remove the water or air bubbles out of the protector tape by using the plastic or rubber spatula.

- 5) Detach the application tape and temporary retention tape.
- 6) Bend the tack-in end and apply it as shown by (4) in the figure.

Protector Tape

EXTERIOR BODY PANELS

CRUISE CONTROL SYSTEM

CC

	Page
1. General Description	2
2. Cruise Control System	4
3. Cruise Control Module	5
4. Cruise Control Command Switch	6
5. Combination Meter	8
6. Stop Light & Brake Switch	9
7. Clutch Switch	10
8. Neutral Position Switch	11