

## List of Diagnostic Trouble Code (DTC)

### OCCUPANT DETECTION SYSTEM (DIAGNOSTICS)

## 13.List of Diagnostic Trouble Code (DTC)

### A: LIST

DTC	Display	Content of diagnosis	Reference target
2A	ODS Calibration Error	System calibration (Rezeroing) was not completed normally.	<Ref. to OD(diag)-25, DTC 2A ODS CALIBRATION ERROR, Diagnostic Procedure with Diagnostic Trouble Code (DTC).>
2B	ODS System Wrong Parts	<ul style="list-style-type: none"> <li>Wrong airbag control module was installed.</li> <li>Wrong occupant detection system was installed.</li> <li>Occupant detection system is faulty.</li> </ul>	<Ref. to OD(diag)-25, DTC 2B ODS SYSTEM WRONG PARTS, Diagnostic Procedure with Diagnostic Trouble Code (DTC).>
2C	Belt Tension Sensor Failure	<ul style="list-style-type: none"> <li>Passenger's seat belt tension sensor is faulty.</li> <li>Airbag main harness circuit is open or shorted.</li> <li>Occupant detection system is faulty.</li> <li>Occupant detection harness is faulty.</li> </ul>	<Ref. to OD(diag)-26, DTC 2C BELT TENSION SENSOR FAILURE, Diagnostic Procedure with Diagnostic Trouble Code (DTC).>
27	ODS Communication Error	<ul style="list-style-type: none"> <li>Occupant detection control module and airbag control module communication is faulty.</li> <li>Airbag rear harness circuit is open, shorted, shorted to ground or shorted to power supply.</li> <li>Occupant detection harness is faulty.</li> <li>Occupant detection system is faulty.</li> <li>Airbag control module is faulty.</li> </ul>	<Ref. to OD(diag)-27, DTC 27 ODS COMMUNICATION ERROR, Diagnostic Procedure with Diagnostic Trouble Code (DTC).>
29	ODS Failure	<ul style="list-style-type: none"> <li>Occupant detection sensor is faulty.</li> <li>Occupant detection control module is faulty.</li> <li>Occupant detection harness is faulty.</li> <li>Fuse No. 25 (in joint box) is blown.</li> </ul>	<Ref. to OD(diag)-28, DTC 29 ODS FAILURE, Diagnostic Procedure with Diagnostic Trouble Code (DTC).>
37	Buckle Switch RH Failure	<ul style="list-style-type: none"> <li>Passenger's seat buckle switch circuit is open, shorted or shorted to ground.</li> <li>Occupant detection system is faulty.</li> <li>Occupant detection harness is faulty.</li> </ul>	<Ref. to OD(diag)-29, DTC 37 BUCKLE SWITCH RH FAILURE, Diagnostic Procedure with Diagnostic Trouble Code (DTC).>